

## Declaration of Performance



<b>Intended Use:</b>	Structural steelwork construction components and/or kits for use in building and civil engineering works.
<b>Manufacturer:</b>	<b>Two J's Metalwork Ltd</b>
<b>Verification of Consistency:</b>	System 2+
<b>Notified Body:</b>	Steel Construction Certification Scheme. 4 Whitehall Court, Westminster, London. SW1A 2ES.
<b>Notified Body No:</b>	2273
<b>EXC Class</b>	EXC3

**SCCS has performed (i) initial inspection of the manufacturing plant and factory product control and (ii) continuous surveillance assessment and evaluation of factory production control and issued Factory Production Control Certificate 2273-CPR-0669 and Welding Certificate 2273-CPR-0669-WC**

<b>Essential Characteristics</b>	<b>Performance</b>	<b>Harmonised Technical Specification</b>
Tolerances on dimensions and shape	EN 1090-2, tolerance class 1	EN 1090-1: 2011
Weldability	EN-10025-2: S355, EN 10025-2: S275 EN 10210-2: S355, EN 10219-2: S355	EN 1090-1: 2011
Fracture toughness/impact resistance	S275JR(27J@20°C) S355J2, S355JO, S355JR, S355J2H	EN 1090-1: 2011
Load bearing capacity	NPD	EN 1090-1: 2011
Fatigue Strength	NPD	EN 1090-1: 2011
Resistance to fire	NPD	EN 1090-1: 2011
Reaction to fire	Class A1 (steel only)	EN 1090-1: 2011
Release of cadmium and its compounds	NPD	EN 1090-1: 2011
Radioactivity	NPD	EN 1090-1: 2011
Durability	Galvanised to BS EN ISO 1461 Primer to be shot blast and painted high build zinc phosphate primer 75 Microns	EN 1090-1: 2011

**The performance of the product identified above is in conformity with the declared performance identified in the table.**

**Signed for and on behalf of Two J's Metalwork Ltd**

**By;  
Two J's Metalwork Ltd  
Five Chimneys Cottage  
Hadlow Down  
East Sussex  
TN22 4DU**